

### 1. Identification of Substance & Company

Product	
Product name HSNO approval Approval description UN number DG class Proper Shipping Name Packaging group Hazchem code Uses	Coil Cleaner HSR002530 Cleaning Products (Subsidiary Hazard) Group Standard 2020 NA NA NA NA NA Coil cleaner
Company Details	
Company Address	GreenEarth Solutions Ltd PO Box 64-125
	Botany
	Auckland 2163 New Zealand
Telephone	0064 9 272 4141
Email Website	mail@greenearth.co.nz www.greenearth.co.nz
	Emergency Telephone Number: 09 272 4141

## 2. Hazard Identification

### Approval

This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

Classes	Hazard Statements		
Skin irritation category 2 Eye Damage category 1	H315 - Causes skin irritation. H318 - Causes serious eye damage.		
SYMBOLS DANGER			
Other Classifications			
There are no other classifications the	hat are known to apply.		
Precautionary Statements	Precautionary Statements		

Prevention	P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P103 - Read label before use.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray*.
	P264 - Wash hands thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/eye protection/face protection.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
•	if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTRE or doctor/physician.
	P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
	P333+P313 - If skin irritation occurs: Get medical advice/attention.
Page 1 of 6	



none

Storage

P363 - Wash contaminated clothing before reuse.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

#### 3. **Composition / Information on Ingredients**

Component	CAS/ Identification	Conc (%)
Sodium metasilicate	6834-92-0	1-5%
Monoethanolamine	141-43-5	1-5%
Alkyl dimethyl amine oxide	proprietary	1-5%
Ingredients not contributing to HSNO classes	Proprietary	1-10%
water	7732-18-5	90%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

#### 4. **First Aid**

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is required. Accessible eyewash is required.	
Exposure		
Swallowed	Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor immediately. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.	
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Inhaled	Generally, inhalation of vapour is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.	

#### Advice to Doctor

Treat symptomatically

5. Firefighting Measures		
Fire and explosion hazards: Suitable extinguishing substances: Unsuitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam. Unknown.	
Products of combustion: Protective equipment:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat	
Hazchem code:	and eye protection. NA	
6. Accidental Release Measures		
Containment	If greater than 1000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to	





Clean-up method Disposal Precautions	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services. Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.
7. Storage & Handling	
Storage	Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See

contact and inhalation of vapour, mist or aerosols. 8. **Exposure Controls / Personal Protective Equipment** 

#### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

section 8 with regard to personal protective equipment requirements. Avoid skin and eye


NZ Workplace	Ingredient	WES-TWA*	WE
Exposure Stds	monoethanolamine	3ppm, 7.5mg/m <sup>3</sup>	6pp
	2-butoxyethanol	25ppm, 121mg/m <sup>3</sup> (skin)	dat

**ES-STEL** pm, 15mg/m<sup>3</sup> ta unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### Personal Protective Equipment





# 9. Physical & Chemical Properties

Annooronoo	liquid
Appearance	liquid
Odour	slight odour
рН	no data
Vapour pressure	no data
Viscosity	no data
Boiling point	~100°C
Volatile materials	no data
Freezing / melting point	no data
Solubility	soluble in water
Specific gravity / density	~1.g/ml
Flash point	not applicable
Danger of explosion	not explosive
Auto-ignition temperature	no data
Upper & lower flammable limits	no data
Corrosiveness	non corrosive

## 10. Stability & Reactivity

Stability Conditions to be avoided	Stable Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames.
Incompatible groups Substance Specific Incompatibility	Strong acids, bases, oxidisers none known
Hazardous decomposition products	none known
	none known

### 11. Toxicological Information

### Summary

IF SWALLOWED: may irritate mouth, throat and gastrointestinal system. Nausea, stomach pain and vomiting may occur.

IF IN EYES: may cause permanent

IF ON SKIN: may cause irritation.

IF INHALED: may cause respiratory irritation.

#### Supporting Data

Acute	Oral	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >2000 mg/kg. Data considered includes: Sodium metasilicate 1280mg/kg (rat), monoethanolamine 600-800 mg/kg (rat).
	Dermal	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (dermal, rat) for the mixture is $>2000$ mg/kg. Data considered includes: Monoethanolamine 1000 mg/kg (rabbit).
	Inhaled	The estimated LC <sub>50</sub> (dust/mist) is >5mg/L
	Еуе	The mixture is considered to be corrosive to the eye, because some of the ingredients present (sodium metasilicate, monoethanol amine, Alkyl dimethyl amine oxide) at >3% are considered eye corrosives.
	Skin	The mixture is considered to be a skin irritant, because some of the ingredients (sodium metasilicate, monoethanol amine, Alkyl dimethyl amine oxide) present are considered skin irritants in more concentrated form.
Chronic	Sensitisation	The mixture is not considered to be a contact sensitizer. No ingredient present at concentrations $> 0.1\%$ is considered to be a sensitiser.
	Mutagenicity	No ingredient present at concentrations $> 0.1\%$ is considered a mutagen.
	Carcinogenicity	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	Reproductive /	No ingredient present at concentrations > 0.1% is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	No ingredient present at concentrations > 1% is considered a target organ toxicant.
	Aggravation of existing conditions	None known.



### 12. Ecological Data

#### Summary

This mixture is considered harmful towards aquatic organisms.

Supporting Data		
Aquatic Bioaccumulation Degradability Soil Terrestrial vertebrate Terrestrial invertebrate Biocidal	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is between 1 and 100 mg/L: Monoethanolamine 65mg/l (48hr, Daphnia magna), Alkyl dimethyl amine oxide 0.71 - 1 mg/l (96hr, Brachydanio rerio (Fish, fresh water)). No data No data No evidence of soil toxicity. This mixture is not considered ecotoxic towards terrestrial vertebrates. See acute toxicity. No evidence of toxicity towards terrestrial invertebrates. no data	
13. Disposal Considerations		
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.	
Disposal method Contaminated packaging	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment. Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.	

### 14. Transport Information

There are no spe	cific restrictions	for this product (not a dangerous good).	
UN number:	NA	Proper shipping name:	NA
Class(es)	NA	Packing group:	NA
Precautions:	NA	Hazchem code:	NA

### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020.

#### Specific Controls

Key workplace requirements are:	
SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 1000L is stored.
Signage	Required if > 1000L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Nata, The above we dealers we will also	ante en alla if en la thie analisadore en la terra de The complete est of controls for a

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and





Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### 16. Other Information

Abbreviations	
Approval Code	Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020 Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
EC <sub>50</sub>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 <sup>th</sup> revised edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency
HSNO	services, especially fire fighters Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD <sub>50</sub>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC <sub>50</sub>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
NZIOC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
STOT SE	System Target Organ Toxicity – Single Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.
References	
Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)
WES	Regulations 2017, www.legislation.govt.nz The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available
-	on their web site – www.worksafe.govt.nz.
Other References:	Suppliers SDS
Review	
Date	Reason for review
August 2017	Not applicable – new SDS
August 2022	5 yearly update, HSNO to GHS
Disclaimer	

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

