

Identification of Substance & Company

Product

Product name Foam Brite Cleaner

Product code FCC
HSNO approval HSR002530

Approval descriptionCleaning Products (Subsidiary Hazard) Group Standard 2020

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Cleaning agent

Company Details

Company GreenEarth Solutions Ltd

Address PO Box 64-125

Botany

Auckland 2163 New Zealand 0064 9 272 4141

Telephone0064 9 272 4141Emailmail@greenearth.co.nzWebsitewww.greenearth.co.nz

Emergency Telephone Number: 09 272 4141

2. Hazard Identification

Approva

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

Classes Hazard Statements

Skin irritation cat 2 H315 - Causes skin irritation. Eye damage cat 1 H318 - Causes serious eye damage.

STOT* RE cat 2 H371 - May cause damage to organs through prolonged or repeated exposure.

Aquatic chronic cat 3 H412 - Harmful to aquatic life with long lasting effects.

*STOT - System Target Organ Toxicity

SYMBOLS

DANGER





Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

Prevention P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P234 - Keep only in original container.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

Page 1 of 7 March 2022



P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

Response P390 - Absorb spillage to prevent material damage.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical advice/ attention. P362 - Take off contaminated clothing and wash before re-use.

P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician. P308+P313 - IF exposed or concerned: Get medical advice/ attention.

Storage P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Sodium hydroxide	1310-73-2	<5%
Glycol acetate	proprietary	1-10%
coconut derived surfactant	61789-40-0	1-10%
Ingredients not contributing to GHS classes	mixture	<1%
water	7732-18-5	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

eneral Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service). IF exposed or concerned: Get medical advice/ attention.

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

Exposure

Inhaled

Swallowed IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE or

doctor/physician if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Carbon dioxide, extinguishing powder, foam, fog sprays.

Unsuitable extinguishing

substances:

substances:

Unknown.

Products of combustion:

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

Page 2 of 7 March 2022



6. Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this

occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA* WES-STEL

Exposure Stds sodium hydroxide Ceiling 2 mg/m³ -

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Nitrile gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

Respiratory

A respirator when airborne concentrations approach the WES (section 8). Use an organic vapour cartridge with a dust/mist filter. . If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order.

WES Additional Information

Not applicable Page 3 of 7 March 2022



9. **Physical & Chemical Properties**

Appearance red liquid Odour slight odour

Hq >10 Vapour pressure no data **Viscosity** no data ~100°C **Boiling point** Volatile materials no data Freezing / melting point no data

Solubility soluble in water

Specific gravity / density no data Flash point not applicable **Danger of explosion** not explosive no data **Auto-ignition temperature Upper & lower flammable limits** no data Corrosiveness corrosive

Stability & Reactivity 10.

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

none known

Incompatible groups Strong acids, strong oxidisers. none known

Substance Specific

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

11. **Toxicological Information**

Summary

IF SWALLOWED: may cause headaches, nausea and dizziness.

IF IN EYES: may cause permanent eye damage.

IF ON SKIN: may cause skin irritation.

IF INHALED: may cause respiratory irritation.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the estimated LD₅₀ (oral, rat) for the mixture is between 2000

and 5000 mg/kg.

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is >2000

mg/kg. Data considered includes: sodium hydroxide 1349 mg/kg, glycol acetate 1480

mg/kg bw (rabbit).

Inhaled No evidence of acute inhalation toxicity.

Eye The mixture is considered to be corrosive to the eye, because some of the ingredients

(sodium hydroxide) present at >3% are considered eye corrosives.

Skin The mixture is considered to be irritating to the skin. Sodium hydroxide at <2% is classed

as a skin irritant.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer.

> Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

The mixture is considered to be a suspected target organ toxicant. EPA has classed **Systemic**

glycol acetates as suspected systemic toxicants (6.9B).

Aggravation of

existing conditions

None known.



12. Ecological Data

Summary

This mixture may be harmful towards aquatic organisms with long lasting effects.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is between 10 mg/L and

100 mg/L. Data considered includes: sodium hydroxide 45.4 mg/l (96hr, fish), 40.38 mg/l

(48hr, water flea), glycol acetate 80 mg/l (48hr, Leuciscus idus (Fish, fresh water)),

Bioaccumulation No data
Degradability No data

Soil No evidence of soil toxicity.

Terrestrial vertebrateThis mixture is not considered harmful towards terrestrial vertebrates, see acute toxicity.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

IMDG

UN number: NA **Proper shipping name:** Not regulated

Class(es) NA Packing group: NA Precautions: NA EmS NA

IATA

UN number: NA Proper shipping name: Not regulated

Class(es) NA Packing group: NA Precautions: NA ERG Guide NA



15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020. All ingredients appear on the NZIoC.

Specific Controls

Key requirements are:

SDS To be available within 10 minutes in workplaces storing > any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Certified Handler Not required.

Tracking Not required.

Bunding & secondary containment Required if > 10000L is stored. Signage Required if > 1000L is stored.

Location test certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2017

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC₅₀ Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

GHS Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RE System Target Organ Toxicity – Repeated Exposure
STOT SE System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

Page 6 of 7 March 2022



Product Name: Foam Brite Cleaner

References

Data

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site – www.worksafe.govt.nz.

Other References: EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewAugust 2017Not applicable – new SDSMarch 2022Review, HSNO to GHS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

